

Where applicable all dimensions and details should be read in conjunction with specialist consultants drawings and the project specification.

All dimensions should be checked on site by the contractor and any discrepancies should be brought to the attention of Permarock Products Ltd.

This drawing is the copyright of Permarock Products Ltd. It shall not be copied to any other third party without the express written consent of Permarock Products Ltd.

DISCLAIMER: Whilst this information/document/proposal (together "Information") is based on the latest manufacturer facts and findings of which we are aware, we are not engaged as a designer or other contractor in respect of your project and so the Information is general in nature and we cannot guarantee that any Information provided meets all of your specific project requirements. Given this, we cannot guarantee that any products selected, specified and/or purchased by you and their proposed applications are fit for the intended purpose. Any specification or purchase by you is at your own risk and we recommend the Information be reviewed and approved by an appropriately qualified professional prior to specification or purchase. Without prejudice to the generality of the foregoing, you (or the appropriately qualified professional from whom you seek advice) shall ensure that any performance criteria and/or coverage rates quoted can be achieved in each instance when compiling or pricing specific projects. To the extent permitted by law, Permarock will not be liable (whether in contract, tort (including negligence), breach of duty, misrepresentation or otherwise) for any loss or liability (of whatsoever kind) arising out of or in connection with any Information we may provide.

Notes :

Rev	Date	Amendments	By	Approved



Permarock Products Ltd.
 Jubilee Drive
 Loughborough
 Leicestershire
 LE11 5TW
 Tel: (01509) 262924
 Email: permarock@permarock.com
 Web: www.permarock.com

Client : -

Project : PAS 2030/2035: 2019 Compliant Projects

Project Ref : -

Title : Plan Section - Fire Barrier at Party Wall -
 2+ Storeys (EPS ONLY)


Drawn By : HN Approved By : RWT

Date : 15/05/2025 Original Size : A3

Scale : NTS

Drawing No : PAS-FB006 Rev.

EPS-Pr EWI System with Fire Barrier at Party Wall Line



Detail to be read in conjunction with drawing PAS-F006.

NOTE :
 1. As standard, full system stop beads are supplied as pre-coated aluminium to RAL 9010 (white). Other RAL colours are available to special order.
 2. Uneven wall surfaces may require levelling prior to attachment of the system.
 3. If Permarock Mineral Fibre is used, fire barrier is not required at.

- ① Stainless steel fixing installed through reinforcement layer (not shown) at max 1 m centres along centre line of fire barrier
- ② Insulation boards to be tightly butted at all joints, all gaps to be filled. Permarock EPS-Premium to be filled with Permarock B1 Foam. Permarock Mineral Fibre insulation to be filled with slivers of mineral fibre
- ③ Permarock Mineral Fibre Insulation (thickness to specification) on Permarock Adhesive
- ④ Permarock Bedding Mortar incorporating Permarock Reinforcing Mesh
- ⑤ Permarock Decorative Finish
- ⑥ Permarock EPS-Premium insulation on Permarock Adhesive
- ⑦ Permarock Insulation Fixing

* Supplementary mechanical fixing of fire barrier insulation in addition to adhesive bonding is permissible. Elevation refer to drawing PAS-F006.