


**PLAN SECTION**



**PLAN SECTION - EXTERNAL CORNER**

- ① Permarock Decorative Finish
- ② Permarock Bedding Mortar incorporating Permarock Reinforcing Mesh
- ③ Permarock Mineral Fibre Insulation
- ④ Permarock Lamella Adhesive or Permarock HP Adhesive (100% coverage)
- ⑤ Light weight steel framing filled with Mineral Wool Insulation (by others)
- ⑥ 12 mm Cement-fibre Sheathing Board
- ⑦ Permarock Mineral Fibre Insulation rebated to fit over steel column
- ⑧ Permarock Corner Bead
- ⑨ Rows of insulation boards interlocked at external corner
- ⑩ Insulation Joints

NOTE : 1. Insulation fixings are not shown for clarity.  
 2. Thermal resistance at steel column (A) will be significantly lower than adjoining wall areas. It is advisable to carry out a Rfsi calculation to determine the risk of internal surface condensation.

Where applicable all dimensions and details should be read in conjunction with specialist consultants drawings and the project specification.  
 All dimensions should be checked on site by the contractor and any discrepancies should be brought to the attention of Permarock Products Ltd.  
 This drawing is the copyright of Permarock Products Ltd. It shall not be copied to any other third party without the express written consent of Permarock Products Ltd.  
**DISCLAIMER:** Whilst this information/document/proposal (together "Information") is based on the latest manufacturer facts and findings of which we are aware, we are not engaged as a designer or other contractor in respect of your project and so the Information is general in nature and we cannot guarantee that any Information provided meets all of your specific project requirements. Given this, we cannot guarantee that any products selected, specified and/or purchased by you and their proposed applications are fit for the intended purpose. Any specification or purchase by you is at your own risk and we recommend the Information be reviewed and approved by an appropriately qualified professional prior to specification or purchase. Without prejudice to the generality of the foregoing, you (or the appropriately qualified professional from whom you seek advice) shall ensure that any performance criteria and/or coverage rates quoted can be achieved in each instance when compiling or pricing specific projects. To the extent permitted by law, Permarock will not be liable (whether in contract, tort (including negligence), breach of duty, misrepresentation or otherwise) for any loss or liability (of whatsoever kind) arising out of or in connection with any Information we may provide.

Notes :

Rev	Date	Amendments	By	Approved
1	25/11/24	HP Adhesive	HN	JFR



Permarock Products Ltd.  
 Jubilee Drive  
 Loughborough  
 Leicestershire  
 LE11 5TW  
 Tel: (01509) 262924  
 Email: permarock@permarock.com  
 Web: www.permarock.com

Client : -

Project : Standard Detail

Project Ref : -

Title : Plan Section - Rebated EWI System at Protruded SFS Substrate

Drawn By : HN      Approved By : JFR

Date : 10/11/2023      Original Size : A3

Scale :      NTS

Drawing No : LSF017      Rev.1